



## Intervention and Blood Collection Schedule Day 1-2

Please tick when done

### Collect Baseline Hypoglycaemia Screen\*

Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

*\* Can be done admission, collect pack from trolley*

### Loading Dose NeoGluCO Intervention

Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

### Insert Continuous Glucose Monitor

Site: R / L thigh Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

Removed: Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

Removed by: \_\_\_\_\_

### Continuous Glucose Monitor D1 Calibrations

2-3h Due: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

5-6h Due: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

11-12h Due: \_\_\_\_\_ Date: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

*Thereafter calibrate every 12 h, or when requested by iPod Guardian App*

### Maintenance Dose 1 (commence 10-14 h after load)

Due: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

Given: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

### Maintenance Dose 2 (12 h after 1<sup>st</sup> maintenance)

Due: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

Given: \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

### Before 3<sup>rd</sup> Maintenance Dose:

- Commence Titration Protocol (see over)
- Collect Blood Sample B: 3 ml (up to 2 hours Before)

Due: Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

Collected: Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_

### Echocardiogram ≥72 hours

Performed: Date \_\_\_/\_\_\_/\_\_\_ Time \_\_\_:\_\_\_